



Know the code requirements for the Florida areas where your doors will be installed.

Wind Borne Debris Region

- Areas where the basic wind speed is 120 mph or greater
- 110 MPH and within 1 mile of the coast

HVHZ Region

- High Velocity Hurricane Zone

Subsequent pages list Florida product approval numbers for BHIDoors systems. Please see product approval details for specific limitations at www.floridabuilding.org.

Wind Borne Debris Region

Florida's wind borne debris area (120mph wind speed zone or higher) requires either impact approved products or shuttered structural design tested doors.

Shuttered Applications

- **Solid/Opaque systems** (doors without glass)
All BHI fiberglass, steel-edge steel, and wood-edge steel doors are approved.
- **Glazed systems** (doors with glass)
Use ODL ½" or 1" insulated doorglass in any BHI fiberglass, steel-edge steel, or wood-edge steel doors.

Non-Shuttered Applications

- **Solid/Opaque systems** (doors without glass)
Use any BHI impact-rated fiberglass, steel-edge steel, or wood-edge steel doors.
- **Glazed systems** (doors with glass)
Use ODL Severe Weather® doorglass in any BHI impact-rated fiberglass, steel-edge steel, or wood-edge steel doors.

HVHZ Region

BHIDoors and components have been tested to the most stringent hurricane standards in Florida—the Miami Dade and Broward counties High Velocity Hurricane Zone (HVHZ).

Shuttered Applications (if allowed by HVHZ code)

- **Solid/Opaque systems** (doors without glass)
Use any BHI impact-rated fiberglass or steel-edge steel doors.
- **Glazed systems** (doors with glass)
Use ODL ½" or 1" insulated doorglass in any BHI impact-rated fiberglass or steel-edge steel doors.

Non-Shuttered Applications

- **Solid/Opaque systems** (doors without glass)
Use BHI HVHZ impact fiberglass or any steel-edge steel doors.
- **Glazed systems** (doors with glass)
Use ODL Severe Weather® doorglass in BHI HVHZ impact fiberglass or any steel-edge steel doors.

FLORIDA & WIND BORNE DEBRIS REGIONS PRODUCT APPROVALS

Please visit Florida Building Code Online for specific limitations of all product approvals.

FIBERGLASS DOORS

FIBERGLASS GLAZED DOORS (NON-IMPACT GLASS) SHUTTERED (WBD REGION), WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
9162.1	X	3/0 x 6/8	No	Inswing / Outswing	+60/-60
9162.2	OX or XO	6/0 x 6/8	No	Inswing / Outswing	+60/-60
9162.3	OXO	9/0 x 6/8	No	Inswing / Outswing	+60/-60
9162.4	XX	6/0 x 6/8	No	Inswing / Outswing	+60/-60
9162.5	OXXO	12/0 x 6/8	No	Inswing / Outswing	+60/-60
9390.6	X	3/0 x 8/0	No	Inswing / Outswing	+47/-47
9390.7	OX or XO	6/0 x 8/0	No	Inswing / Outswing	+47/-47
9390.8	OXO	9/0 x 8/0	No	Inswing / Outswing	+47/-47
9390.9	XX	6/0 x 8/0	No	Inswing / Outswing	+47/-47
9390.10	OXXO	12/0 x 8/0	No	Inswing / Outswing	+47/-47

FIBERGLASS GLAZED DOORS (IMPACT GLASS) UNSHUTTERED, WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
12590.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50
12590.2	OX or XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
12590.3	OXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
12590.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
12590.5	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9390.1	X	3/0 x 8/0	Yes	Inswing / Outswing	+50/-50
9390.2	OX or XO	6/0 x 8/0	Yes	Inswing / Outswing	+50/-50
9390.3	OXO	9/0 x 8/0	Yes	Inswing / Outswing	+50/-50
9390.4	XX	6/0 x 8/0	Yes	Inswing / Outswing	+50/-50
9390.5	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50/-50

FIBERGLASS SOLID DOORS w/ GLAZED SIDELTS (NON-IMPACT GLASS) UNSHUTTERED DOOR, SHUTTERED SIDELIGHTS, WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
9162.6	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9162.7	OX or XO	6/0 x 6/8	Yes / No	Inswing / Outswing	+50/-50
9162.8	OXO	9/0 x 6/8	Yes / No	Inswing / Outswing	+50/-50
9162.9	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9162.10	OXXO	12/0 x 6/8	Yes / No	Inswing / Outswing	+50/-50
11321.6	X	3/0 x 8/0	Yes	Inswing / Outswing	+65/-65 (OS) +65/-70 (IS)
6234.3	XO or OX	4/2 x 8/0	Yes / No	Inswing / Outswing	+40/-40 (OS) +42/-48 (IS)
6234.5	OXO	5/4 x 8/0	Yes	Inswing / Outswing	+40/-40 (OS) +42/-48 (IS)
11321.9	XX	6/0 x 8/0	Yes	Inswing / Outswing	+45/-45 (OS) +45/-50 (IS)
6234.8	OXXO	8/4 x 8/0	Yes	Inswing / Outswing	+40/-40 (OS) +42/-48 (IS)

FIBERGLASS SOLID DOORS w/ GLAZED SIDELTS (IMPACT GLASS) UNSHUTTERED, WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
11321.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50
11321.2	OX or XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
11321.3	OXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
11321.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
11321.5	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50
11321.6	X	3/0 x 8/0	Yes	Inswing / Outswing	+65/-65 (OS) +65/-70 (IS)
11321.7	OX or XO	6/0 x 8/0	Yes	Inswing / Outswing	+47/-47
11321.8	OXO	9/0 x 8/0	Yes	Inswing / Outswing	+47/-47
11321.9	XX	6/0 x 8/0	Yes	Inswing / Outswing	+45/-45 (OS) +45/-50 (IS)
11321.10	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+47/-47

FIBERGLASS GLAZED DOORS w/ MULTI-POINT LOCK (NON-IMPACT GLASS) SHUTTERED (WBD REGION), WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
13158.1	X, OX or XO, OXO	9/0 x 7/0	No	Inswing / Outswing	+45/-45
13158.2	XX, OXXO	12/0 x 7/0	No	Inswing / Outswing	+45/-45
13158.9	X, OX or XO, OXO	9/0 x 8/0	No	Inswing / Outswing	+45/-45
13158.10	XX, OXXO	12/0 x 8/0	No	Inswing / Outswing	+45/-45

FIBERGLASS GLAZED DOORS w/ MULTI-POINT LOCK (IMPACT GLASS) UNSHUTTERED, WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
13158.5	X, OX or XO, OXO	9/0 x 7/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50
13158.6	XX, OXXO	12/0 x 7/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50
13158.13	X, OX or XO, OXO	9/0 x 8/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50
13158.14	XX, OXXO	12/0 x 8/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50

FIBERGLASS SOLID DOORS w/ MULTI-POINT LOCK (NON-IMPACT GLASS) SHUTTERED (WBD REGION), WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
13158.3	X, OX or XO, OXO	9/0 x 7/0	No	Inswing / Outswing	(IS) X:+55/-60 XO/OXO:+45/-45 (OS) X:+55/-55 XO/OXO:+45/-45
13158.4	XX, OXXO	12/0 x 7/0	No	Inswing / Outswing	(IS) XX:+50/-55 OXXO:+45/-45 (OS) XX:+50/-50 OXXO:+45/-45
13158.11	X, OX or XO, OXO	9/0 x 8/0	No	Inswing / Outswing	(IS) X:+55/-60 XO/OXO:+45/-45 (OS) X:+55/-55 XO/OXO:+45/-45
13158.12	XX, OXXO	12/0 x 8/0	No	Inswing / Outswing	(IS) XX:+50/-55 OXXO:+45/-45 (OS) XX:+50/-50 OXXO:+45/-45

FIBERGLASS SOLID DOORS w/ MULTI-POINT LOCK (IMPACT GLASS) UNSHUTTERED, WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
13158.7	X, OX or XO, OXO	9/0 x 7/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50
13158.8	XX, OXXO	12/0 x 7/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50
13158.15	X, OX or XO, OXO	9/0 x 8/0	Yes	Inswing / Outswing	(IS) X:+55/-60 XO/OXO:+45/-45 (OS) X:+55/-55 XO/OXO:+45/-45
13158.16	XX, OXXO	12/0 x 8/0	Yes	Inswing / Outswing	(IS) +50/-55 (OS) +50/-50

TRIMMABLE FIBERGLASS (NON-IMPACT GLASS) SHUTTERED (WBD REGION), COMPOSITE FRAMES ONLY

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
12108.1 (Op)	X	3/0 x 6/8	No	Inswing Only	
12108.2 (Glz)	X	3/0 x 6/8	No	Inswing Only	

FIBERGLASS DOORS IN STEEL REDIFRAME* SHUTTERED (WBD REGION)

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
8078.5	X Solid	3/0 x 6/8	No	Inswing / Outswing	
8078.6	X Glazed	3/0 x 6/8	No	Inswing / Outswing	

FIBERGLASS DOORS IN STEEL REDIFLEX SHUTTERED (WBD REGION)

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
8078.1	X Solid	3/0 x 6/8	No	Inswing / Outswing	
8078.2	X Glazed	3/0 x 6/8	No	Inswing / Outswing	

ODL DOORGLASS COMPONENT APPROVALS

Can be combined with any Florida approved GLAZED system that does not specify ODL doorglass.

FL #	DESCRIPTION
3234	Non-Impact Doorglass • Standard HP Frame • 6/8 & 8/0 • 1/8", 1/2", 1" Glass • DP= +60 / -60
4177.1	Non-Impact Doorglass in STEEL Door • up to 3/0x6/8 • Standard HP Frame DP= +50 / -50 • SmartFrame DP = +60 / -60
4177.2	Non-Impact Doorglass in FIBERGLASS Door • up to 3/0x6/8 • Standard HP Frame DP= +65 / -65 • SmartFrame DP = +60 / -60
10091	Non-Impact Fluted Architectural Series Doorglass for SHUTTERED systems • 6/8 & 8/0 • DP= +65 / -65
8797	IMPACT Doorglass for UNSHUTTERED systems • up to 3/0x6/8 & 3/0x8/0 • DP = (see installation instructions)

RUSTIC SOLID FIBERGLASS DOORS

6554.1 UNSHUTTERED, 6554.2 SHUTTERED, WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
6554.1	X	3/0 x 8/0	Yes	Outswing Only	
6554.2	X	3/0 x 8/0	No	Inswing Only	

FIBERGLASS SOLID ***FIRE-RATED*** DOOR IN STEEL REDIFRAME PD* UNSHUTTERED,

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
9231.1	X Solid	3/0 x 6/8	Yes	Inswing / Outswing	

*REDIFRAME not available as a pre-hung system. Approvals provided for reference only.

FLORIDA & WIND BORNE DEBRIS REGIONS PRODUCT APPROVALS

Please visit Florida Building Code Online for specific limitations of all product approvals.

STEEL DOORS

STEEL-EDGE GLAZED DOORS (NON-IMPACT GLASS) SHUTTERED (WBD REGION), WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
9542.1	X	3/0 x 6/8	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.2	OX or XO	6/0 x 6/8	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.3	OXXO	9/0 x 6/8	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.4	XX	6/0 x 6/8	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.5	OXXO	12/0 x 6/8	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.6	X	3/0 x 8/0	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.7	OX or XO	6/0 x 8/0	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.8	OXXO	9/0 x 8/0	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.9	XX	6/0 x 8/0	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)
9542.10	OXXO	12/0 x 8/0	No	Inswing / Outswing	+40/-40 (OS) /+40/-45 (IS)

WOOD-EDGE GLAZED DOORS (NON-IMPACT GLASS) SHUTTERED (WBD REGION), WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
9541.1	X	3/0 x 6/8	No	Inswing / Outswing	+40/-40
9541.2	OX or XO	6/0 x 6/8	No	Inswing / Outswing	+40/-40
9541.3	OXXO	9/0 x 6/8	No	Inswing / Outswing	+40/-40
9541.4	XX	6/0 x 6/8	No	Inswing / Outswing	+40/-40
9541.5	OXXO	12/0 x 6/8	No	Inswing / Outswing	+40/-40

STEEL GLAZED DOORS IN STEEL REDIFLEX SHUTTERED (WBD REGION)

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
8078.4	X Glazed	3/0 x 6/8	No	Inswing / Outswing	+45/-45 (OS) /+45/-50 (IS)

STEEL GLAZED DOORS IN STEEL REDIFLEX UNSHUTTERED

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
8078.3	X	3/0 x 6/8	Yes	Inswing / Outswing	+65/-66

STEEL-EDGE OPAQUE DOORS IN REDIFLEX SHUTTERED, STEEL FRAME

FL#	CONFIG.	SIZE (up to)	IMPACT	SWING	DP Ratings
1766.1	X	3/0 x 6/8	No	Inswing / Outswing	+66 / -66

STEEL SOLID DOORS IN STEEL REDIFRAME PD* UNSHUTTERED

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
9231.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+60/-60 (OS) /+60/-65 (IS)
9231.2	X	3/0 x 8/0	Yes	Inswing / Outswing	+60/-60 (OS) /+60/-65 (IS)

*REDIFRAME not available as a pre-hung system. Approvals provided for reference only.

STEEL-EDGE GLAZED DOORS (IMPACT GLASS) UNSHUTTERED, WOOD FRAMES ONLY

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
8845.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.2	XO or OX	6/0 x 8/0	Yes	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.3	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.5	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.6	X	3/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8845.7	XO or OX	6/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8845.8	OXXO	9/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8845.9	XX	6/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8845.1	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50 / -50

STEEL-EDGE SOLID DOORS W/ GLAZED SIDELIGHTS (IMPACT GLASS) UNSHUTTERED, WOOD FRAMES ONLY

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
8892.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+80 / -80
8892.2	XO or OX	5/4 x 6/8	Yes	Inswing / Outswing	+60 / -60
8892.3	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+60 / -60
8892.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+60 / -60
8892.5	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+60 / -60
8892.6	X	3/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8892.7	XO or OX	5/4 x 8/0	Yes	Inswing / Outswing	+50 / -50
8892.8	OXXO	9/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8892.9	XX	6/0 x 8/0	Yes	Inswing / Outswing	+50 / -50
8892.10	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50 / -50

WOOD-EDGE GLAZED DOORS (IMPACT GLASS) UNSHUTTERED, WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
9406.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9406.2	OX or XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9406.3	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9406.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9406.5	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50

WOOD-EDGE SOLID DOORS W/ GLAZED SIDELTS (IMPACT GLASS) UNSHUTTERED, WOOD OR COMPOSITE FRAMES

FL #	CONFIG.	UNIT SIZE (up to)	IMPACT	SWING	DP RATING
9539.1	X	3/0 x 6/8	Yes	Inswing / Outswing	+60/-60
9539.4	XX	6/0 x 6/8	Yes	Inswing / Outswing	+60/-60
9539.6	OX or XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9539.7	OXXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
9539.8	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50

ODL DOORGLASS COMPONENT APPROVALS

Can be combined with any Florida approved GLAZED system that does not specify ODL doorglass.

FL #	DESCRIPTION
3234	Non-Impact Doorglass • Standard HP Frame • 6/8 & 8/0 • 1/8", 1/2", 1" Glass • DP= +60 / -60
4177.1	Non-Impact Doorglass in STEEL Door • up to 3/0x6/8 • Standard HP Frame DP= +50 / -50 • SmartFrame DP = +60 / -60
4177.2	Non-Impact Doorglass in FIBERGLASS Door • up to 3/0x6/8 • Standard HP Frame DP= +65 / -65 • SmartFrame DP = +60 / -60
10091	Non-Impact Fluted Architectural Series Doorglass for SHUTTERED systems • 6/8 & 8/0 • DP= +65 / -65
8797	IMPACT Doorglass for UNSHUTTERED systems • up to 3/0x6/8 & 3/0x8/0 • DP = (see installation instructions)

HVHZ Product Approvals

Please visit www.floridabuilding.org for product approval details and limitations.

FIBERGLASS OPAQUE HVHZ DOORS W/ GLAZED SIDELIGHTS

UNSHUTTERED, IMPACT GLASS, WOOD OR COMPOSITE FRAMES

FL#	CONFIG.	SIZE (up to)	SWING	DP Ratings
12402.1	X	3/0 x 6/8	Inswing / Outswing	+50/-50(OS) +47.5/-47.5(IS)
12402.2	XO or OX	6/0 x 8/0	Outswing only	+50 / -50
12402.3	OXO	9/0 x 6/8	Outswing only	+50 / -50
12402.4	XX	6/0 x 6/8	Inswing / Outswing	+50/-50(OS) +47.5/-47.5(IS)
12402.5	OXXO	12/0 x 6/8	Outswing only	+50 / -50
12402.6	X	3/0 x 8/0	Inswing / Outswing	+50/-50(OS) +47.5/-47.5(IS)
12402.7	XO or OX	6/0 x 8/0	Outswing only	+50 / -50
12402.8	OXO	9/0 x 8/0	Outswing only	+50 / -50
12402.9	XX	6/0 x 8/0	Inswing / Outswing	+50/-50(OS) +47.5/-47.5(IS)
12402.10	OXXO	12/0 x 8/0	Outswing only	+50 / -50

FIBERGLASS GLAZED HVHZ DOORS

UNSHUTTERED, IMPACT GLASS, WOOD OR COMPOSITE FRAMES

FL#	CONFIG.	SIZE (up to)	SWING	DP Ratings
8390.1	X	3/0 x 6/8	Outswing only	+50/-50 (Wood), +55/-60 (Poly)
8390.2	XO or OX	6/0 x 8/0	Outswing only	+50/-50 (Wood), +55/-60 (Poly)
8390.3	OXO	9/0 x 6/8	Outswing only	+50/-50 (Wood), +55/-60 (Poly)
8390.4	XX	6/0 x 6/8	Outswing only	+50/-50 (Wood), +55/-60 (Poly)
8390.5	OXXO	12/0 x 6/8	Outswing only	+50/-50 (Wood), +55/-60 (Poly)
10549.1	X	3/0 x 8/0	Outswing only	+50 / -50
10549.2	XO or OX	6/0 x 8/0	Outswing only	+50 / -50
10549.3	OXO	9/0 x 8/0	Outswing only	+50 / -50
10549.4	XX	6/0 x 8/0	Outswing only	+50 / -50
10549.5	OXXO	12/0 x 8/0	Outswing only	+50 / -50

FIBERGLASS OPAQUE HVHZ DOORS W/ NON-IMPACT SIDELIGHT

SHUTTERED SIDELIGHT, NON-IMPACT GLASS, WOOD OR COMPOSITE FRAMES

FL#	CONFIG.	SIZE (up to)	SWING	DP Ratings
12403.1	X	3/0 x 6/8	Inswing / Outswing	+50/-50(OS) +47.5/-47.5(IS)
12403.2	XO or OX	6/0 x 8/0	Outswing only	+50 / -50
12403.3	OXO	9/0 x 6/8	Outswing only	+50 / -50
12403.4	XX	6/0 x 6/8	Inswing / Outswing	+50/-50(OS) +47.5/-47.5(IS)
12403.5	OXXO	12/0 x 6/8	Outswing only	+50 / -50
12403.6	X	3/0 x 8/0	Inswing / Outswing	+50/-50(OS) +47.5/-47.5(IS)
12403.7	XO or OX	6/0 x 8/0	Inswing / Outswing	+50 / -50
12403.8	OXO	9/0 x 8/0	Inswing / Outswing	+50 / -50
12403.9	XX	6/0 x 8/0	Inswing / Outswing	+50/-50(OS) +47.5/-47.5(IS)
12403.10	OXXO	12/0 x 8/0	Inswing / Outswing	+50 / -50

FIBERGLASS GLAZED NON-IMPACT DOORS

SHUTTERED, NON-IMPACT GLASS, WOOD OR COMPOSITE FRAMES

FL#	CONFIG.	SIZE (up to)	SWING	DP Ratings
10548.1	X	3/0 x 6/8	Inswing / Outswing	+60 / -60
10548.2	XO or OX	6/0 x 8/0	Inswing / Outswing	+60 / -60
10548.3	OXO	9/0 x 6/8	Inswing / Outswing	+60 / -60
10548.4	XX	6/0 x 6/8	Inswing / Outswing	+60 / -60
10548.5	OXXO	12/0 x 6/8	Inswing / Outswing	+60 / -60
10549.6	X	3/0 x 8/0	Outswing only	+47 / -47
10549.7	XO or OX	6/0 x 8/0	Outswing only	+47 / -47
10549.8	OXO	9/0 x 8/0	Outswing only	+47 / -47
10549.9	XX	6/0 x 8/0	Outswing only	+47 / -47
10549.10	OXXO	12/0 x 8/0	Outswing only	+47 / -47

STEEL STEEL-EDGE SOLID DOORS W/ GLAZED SIDELIGHTS

UNSHUTTERED, IMPACT GLASS, WOOD FRAMES

FL#	CONFIG.	SIZE (up to)	SWING	DP Ratings
8892.1	X	3/0 x 6/8	Inswing / Outswing	+80 / -80
8892.2	XO or OX	6/0 x 8/0	Inswing / Outswing	+60 / -60
8892.3	OXO	9/0 x 6/8	Inswing / Outswing	+60 / -60
8892.4	XX	6/0 x 6/8	Inswing / Outswing	+60 / -60
8892.5	OXXO	12/0 x 6/8	Inswing / Outswing	+60 / -60
8892.6	X	3/0 x 8/0	Inswing / Outswing	+50 / -50
8892.7	XO or OX	6/0 x 8/0	Inswing / Outswing	+50 / -50
8892.8	OXO	9/0 x 8/0	Inswing / Outswing	+50 / -50
8892.9	XX	6/0 x 8/0	Inswing / Outswing	+50 / -50
8892.1	OXXO	12/0 x 8/0	Inswing / Outswing	+50 / -50

STEEL STEEL-EDGE GLAZED DOORS

UNSHUTTERED, IMPACT GLASS, WOOD FRAMES

FL#	CONFIG.	SIZE (up to)	SWING	DP Ratings
8845.1	X	3/0 x 6/8	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.2	XO or OX	6/0 x 8/0	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.3	OXO	9/0 x 6/8	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.4	XX	6/0 x 6/8	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.5	OXXO	12/0 x 6/8	Inswing / Outswing	+50/-50(OS) +50/-55(IS)
8845.6	X	3/0 x 8/0	Inswing / Outswing	+50 / -50
8845.7	XO or OX	6/0 x 8/0	Inswing / Outswing	+50 / -50
8845.8	OXO	9/0 x 8/0	Inswing / Outswing	+50 / -50
8845.9	XX	6/0 x 8/0	Inswing / Outswing	+50 / -50
8845.1	OXXO	12/0 x 8/0	Inswing / Outswing	+50 / -50

STEEL STEEL-EDGE OPAQUE DOORS IN REDIFLEX

SHUTTERED, STEEL FRAME

FL#	CONFIG.	SIZE (up to)	SWING	DP Ratings
1766.1	X	3/0 x 6/8	Inswing / Outswing	+66 / -66

ODL DOORGLASS COMPONENT APPROVAL

Can be combined with any Florida approved GLAZED system that does not specify ODL.

FL#	DESCRIPTION
8797	IMPACT Doorglass for UNSHUTTERED systems, up to 3/0x6/8 & 3/0x8/0 DP = (see installation instructions)

BHIDoors
BY BUILDERS HARDWARE, INC.

May 2010
O = Sidelight X=Door